

TrueNAS H-Series

Big business performance. Entry level pricing.
In one compact bundle.

www.truenas.com



Contact Us: +1 (866) TRUENAS

Features



Scalable Performance & Capacity: The TrueNAS H-Series combines RAM and NVMe caching with HDDs for cost-effective storage, and supports SAS or NVMe SSDs for up to 8 GB/s uncached throughput.



Self-Healing Data Protection: TrueNAS detects and repairs data corruption and bit rot automatically to ensure data integrity.



Intelligent Storage Optimization: TrueNAS uses compression, deduplication, and thin provisioning to maximize efficiency and dynamically adjusts compression based on resource use.



Unlimited Snapshots & Replication: TrueNAS offers unlimited snapshots and replication without extra licensing, with built-in ransomware protection and seamless integration with VMware.

Benefits



High Availability (HA): The TrueNAS H-Series offers dual-controller configurations to ensure uninterrupted access to critical data during maintenance or hardware failures.



Unified Storage Protocols: With support for file, block, and S3-compatible object protocols, enabling seamless integration with diverse enterprise applications and workflows has never been easier.



Enterprise-Grade Efficiency: Advanced features like data reduction, snapshots, and replication come standard, reducing costs and simplifying data management without additional licensing fees.

Versatile Hybrid Storage

The TrueNAS H-Series delivers the comprehensive feature set of TrueNAS Open Enterprise Storage, including High Availability (HA), at an entry-level price point. Designed for small and medium businesses, the H-Series offers optional dual controllers, hybrid or all-flash configurations, NVMe support in every bay for low-latency workloads, and unified file, block, and object storage across three models: H10, H20, and H30.

This flexibility allows organizations to scale performance and reliability in a compact footprint, making it suitable for IT environments and Edge deployments. The simplified web-based interface and robust feature set, coupled with the absence of additional licensing costs, make the H-Series an accessible yet powerful option for growing businesses.

The modular architecture of the H-Series supports hybrid flash and disk storage pools, conserving power, space, and cooling while handling diverse workloads such as media storage, virtual machine hosting, and video surveillance. Optional HA ensures uninterrupted storage services during maintenance or upgrades, while Intelligent Storage Optimization reduces data by 2.5x or more for maximum efficiency. With built-in data integrity features and the reliability of TrueNAS Enterprise, the H-Series provides businesses with scalable, efficient, and secure storage that is easy to manage and built to perform around the clock.



H-Series Platform

Available Storage Media

- Enterprise Nearline Hard Drives
7200 RPM SAS3:
 - Available from 8 TB to 22 TB
 - SED, FIPS 140-2 options
- Enterprise SSDs:
 - SAS3: from 1.9 TB to 15.36 TB
 - SED and FIPS 140-2 options available
- NVMe SSDs:
 - from 3.8 TB TO 61.4 TB
 - SED and FIPS 140-3 options available

Power Management


- Dual redundant, hot-swappable, high-efficiency (80 Plus Platinum (90%+) power supplies
- Auto-switching 100-240V 50/60Hz input power supported
- Remote power on/off via IPMI (Integrated Platform Management Interface)
- UPS signal response and alerts

Disk Management

- Global hot spares
- Hot-swappable drives
- Corrupted block scan + HDD S.M.A.R.T.
- Hard drive activity/alert LEDs
- Hardware-accelerated disk encryption (AES-NI)
- Enclosure monitoring and alert LEDs

Physical Parameters

- 2U: 12x 3.5/2.5" hard drive bays (front-loading, hot swap)
- Dimensions (l x w x h):
 - 26.8" x 19" x 3.5" | 681 x 483 x 89 mm
- Rackmount Rails:
 - 23" - 35.75" standard
- Operating temperature: 0°C to 40°C
- Non-operating temperature: -30°C to 60°C
- Humidity: 8% to 80% non-condensing
- Empty weight: 43 lbs | 19.5 kg
- Fully-Loaded weight: 67 lbs | 30.4 kg
- RoHS 6/6 compliant CE, FCC Class A, VCCI, UL, BSMI



TrueNAS H30 shown above. Specifications may vary based on your selected model and configuration.

TrueNAS H-Series Models

	TrueNAS H10	TrueNAS H20	TrueNAS H30
Hybrid or All-Flash Storage		Optional	
Dual Controller (HA)		Optional	
Controller	4 Core	10 Core	20 Core
RAM (Max)	64 - 128 GB	128 - 256 GB	256 GB
Read Cache (Max)	3.2 TB NVMe SSD	2x 3.2 TB NVMe SSD	2x 6.4 TB NVMe SSD
Write Cache (Max)	NVMe SSD	NVMe SSD	2x NVMe SSD
Onboard Networking	4x 1G Base-T	4x 1G Base-T	4x 1G Base-T 2x 10G Base-T
Additional Networking (Optional)	Up to 4x 10/25 GbE	Up to 4x 10/25 GbE or 2x 10/25 GbE + 2x 40/100 GbE	
Max Throughput	2 GByte/s	4 GByte/s	8 GByte/s
Max Storage (Raw)	1.5 PB	2.5 PB	2.5 PB
*Max Effective Hybrid	3 PB	5 PB	5 PB
Max NVMe Flash (Raw)	180 TB	360 TB	720 TB
*Max Effective NVMe Flash	360 TB	720 TB	1.5 PB
Expansion Shelves	1x ES24, ES60	1x ES24, ES60, or ES102	1x ES24, ES60, or ES102
Average Power Draw	200 Watts	300 Watts	400 Watts
Peak Power Draw	250 Watts	350 Watts	450 Watts
Heat Output	700 BTU/h	1000 BTU/h	1400 BTU/h

* Maximum effective capacity assumes typical data reduction through compression and deduplication.

TrueNAS Enterprise Specifications

File-Based Protocols	Block-Based Protocols	Object Protocols	Directory Services	
<ul style="list-style-type: none"> SMB v1/2/3 NFSv3, v4 AFP, FTP, WebDAV 	<ul style="list-style-type: none"> iSCSI OpenStack Cinder 	<ul style="list-style-type: none"> S3-compliant using MinIO 	<ul style="list-style-type: none"> Active Directory (AD) FreeIPA 	<ul style="list-style-type: none"> Kerberos LDAP, NIS
Networking	Virtualization	File System	High Availability	Data Mobility
<ul style="list-style-type: none"> Port Trunking/NIC Teaming IEEE 802.3ad link aggregation IEEE 802.1q VLAN support 	<ul style="list-style-type: none"> Supports VMware and VAAI, ESXi snapshot integration, VM Warn/Stun, vCenter Supports KVM, Citrix XenServer, Microsoft Hyper-V, and other common hypervisors Microsoft VSS, ODX, and CSV Integrated Apps 	<ul style="list-style-type: none"> OpenZFS Self-healing file system Immutable Snapshots and clones Thin and thick provisioning Online capacity expansion Virtual block devices In-line compression and deduplication ZFS Stripe, Mirror, RAID-Z1/Z2/Z3, dRAID 	<ul style="list-style-type: none"> Available dual controller support Automated rapid failover without data loss Virtual IP address migration Online software updates 	<ul style="list-style-type: none"> Asynchronous file replication using Syncthing Data ingest and export to and from any SMB/NFS server
Backup	Supported Public Cloud Providers	TrueSecure Security	Remote Administration	
<ul style="list-style-type: none"> Snapshot-based OpenZFS local/remote replication Rsync and cloudsync Truecloud backup to iX-Storj Supports Asigra, Acronis, Veeam, Nakivo, NetBackup, and more 	<ul style="list-style-type: none"> iX-Storj Amazon S3 BackBlaze B2 Cloud Google Cloud Microsoft Azure 	<ul style="list-style-type: none"> FIPS 140 for Data-at-rest and data-in-flight Restricted Admins (Security, Storage, Monitor) Auditing of SMB & Admin events (e.g Logins) Encrypted Drives and Datasets, KMIP NIST 800-209, GP-OS STIG 	<ul style="list-style-type: none"> Alert notifications via email, AWS-SNS, Hipchat, InfluxDB, Slack, Mattermost, OpsGenie, PagerDuty, and VictorOps SSH, Syslog, Netdata Automated backup of system configuration and state Graphical reporting, enclosure management Signed updates with the ability to rollback Out-of-Band Management REST APIs and SNMP TrueCommand Management 	

